

# Deaths: Final Data for 2013

## Supplemental tables

Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999–2013

Table I-2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2013

Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999–2013

Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2013

Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2013

Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2013

Table I-7. Number of deaths, death rates, and age-adjusted death rates for ages 15 and over, by marital status and sex: United States, 2013

Table I-8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64, by educational attainment and sex: Total of 39 reporting states and District of Columbia using 2003 version of U.S. Standard Certificate of Death and total of 9 reporting states using 1989 version of U.S. Standard Certificate of Death, 2013

Table I-9. Number of deaths, death rates, and age-adjusted death rates for injury at work for ages 15 and over, by race and sex: United States, 2013

Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993–2013

**Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999–2013**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2013 . . . . .	33,636	28,794	4,842	25,044	21,116	3,928	7,797	7,016	781	326	281	45	469	381	88
2012 . . . . .	33,563	28,838	4,725	24,727	20,955	3,772	8,021	7,191	830	337	297	40	478	395	83
2011 . . . . .	32,351	27,738	4,613	24,092	20,363	3,729	7,525	6,775	750	305	255	50	429	345	84
2010 . . . . .	31,672	27,356	4,316	23,490	20,014	3,476	7,454	6,721	733	317	267	50	411	354	57
2009 . . . . .	31,347	26,921	4,426	23,163	19,623	3,540	7,455	6,700	755	291	241	50	438	357	81
2008 . . . . .	31,593	27,336	4,257	23,065	19,679	3,386	7,847	7,088	759	279	233	46	402	336	66
2007 . . . . .	31,224	27,047	4,177	22,296	19,020	3,276	8,242	7,430	812	246	213	33	440	384	56
2006 . . . . .	30,896	26,712	4,184	21,721	18,496	3,225	8,409	7,563	846	291	253	38	475	400	75
2005 . . . . .	30,694	26,657	4,037	21,958	18,788	3,170	7,984	7,226	758	305	264	41	447	379	68
2004 . . . . .	29,569	25,498	4,071	21,442	18,223	3,219	7,448	6,709	739	281	236	45	398	330	68
2003 . . . . .	30,136	26,124	4,012	21,763	18,647	3,116	7,659	6,882	777	269	229	40	445	366	79
2002 . . . . .	30,242	26,098	4,144	21,902	18,714	3,188	7,623	6,798	825	287	235	52	430	351	79
2001 . . . . .	29,573	25,480	4,093	21,760	18,527	3,233	7,184	6,438	746	240	196	44	389	319	70
2000 . . . . .	28,663	24,582	4,081	20,945	17,750	3,195	7,054	6,284	770	240	196	44	424	352	72
1999 . . . . .	28,874	24,700	4,174	21,143	17,942	3,201	7,017	6,184	833	268	228	40	446	346	100
Rate															
2013 . . . . .	10.6	18.5	3.0	10.0	17.1	3.1	17.8	33.5	3.4	7.3	12.5	2.0	2.5	4.3	0.9
2012 . . . . .	10.7	18.7	3.0	10.0	17.0	3.0	18.6	34.8	3.7	7.7	13.4	1.8	2.6	4.6	0.9
2011 . . . . .	10.4	18.1	2.9	9.8	16.6	3.0	17.6	33.2	3.4	7.0	11.7	2.3	2.5	4.1	0.9
2010 . . . . .	10.3	18.0	2.7	9.6	16.5	2.8	17.7	33.4	3.3	7.4	12.5	2.4	2.4	4.4	0.6
2009 . . . . .	10.2	17.9	2.8	9.5	16.2	2.9	17.9	33.7	3.5	7.0	11.6	2.4	2.6	4.5	0.9
2008 . . . . .	10.4	18.3	2.8	9.5	16.4	2.8	19.1	36.2	3.5	7.0	11.7	2.3	2.5	4.4	0.8
2007 . . . . .	10.4	18.3	2.7	9.2	15.9	2.7	20.4	38.5	3.8	6.4	11.1	1.7	2.8	5.1	0.7
2006 . . . . .	10.4	18.2	2.8	9.1	15.6	2.7	21.1	39.8	4.1	7.9	13.7	2.1	3.2	5.5	1.0
2005 . . . . .	10.4	18.4	2.7	9.2	16.0	2.6	20.3	38.6	3.7	8.6	14.9	2.3	3.1	5.4	0.9
2004 . . . . .	10.1	17.7	2.7	9.1	15.6	2.7	19.2	36.3	3.6	8.2	13.8	2.6	2.8	4.9	0.9
2003 . . . . .	10.4	18.3	2.7	9.3	16.1	2.6	20.0	37.8	3.9	8.1	13.9	2.4	3.3	5.6	1.1
2002 . . . . .	10.5	18.5	2.8	9.4	16.2	2.7	20.2	37.8	4.2	9.0	14.7	3.2	3.3	5.6	1.2
2001 . . . . .	10.4	18.2	2.8	9.4	16.2	2.7	19.3	36.3	3.8	7.7	12.7	2.8	3.1	5.3	1.1
2000 . . . . .	10.2	17.8	2.8	9.1	15.6	2.7	19.3	36.1	4.0	8.0	13.2	2.9	3.6	6.2	1.2
1999 . . . . .	10.3	18.1	2.9	9.2	15.9	2.8	19.4	36.0	4.4	9.5	16.2	2.8	3.9	6.3	1.7
Age-adjusted rate <sup>4</sup>															
2013 . . . . .	10.4	18.3	3.0	9.6	16.5	3.0	17.2	32.1	3.4	7.4	12.9	2.0	2.4	4.1	0.9
2012 . . . . .	10.5	18.5	3.0	9.5	16.5	2.9	17.9	33.4	3.6	7.6	13.5	1.8	2.5	4.4	0.9
2011 . . . . .	10.2	18.0	2.9	9.4	16.2	2.9	16.9	31.7	3.3	7.1	11.9	2.4	2.4	4.0	0.8
2010 . . . . .	10.1	17.9	2.7	9.2	16.1	2.7	16.9	31.8	3.3	7.3	11.7	2.6	2.3	4.2	0.6
2009 . . . . .	10.1	17.8	2.8	9.1	15.9	2.8	17.2	32.3	3.4	7.0	11.4	2.5	2.5	4.4	0.9
2008 . . . . .	10.3	18.3	2.7	9.2	16.1	2.7	18.2	34.3	3.4	6.9	11.7	2.3	2.4	4.2	0.7
2007 . . . . .	10.3	18.3	2.7	9.0	15.8	2.6	19.4	36.2	3.8	6.3	11.0	1.8	2.7	5.0	0.7
2006 . . . . .	10.3	18.2	2.7	8.8	15.5	2.6	20.0	37.6	3.9	7.6	13.3	2.1	3.0	5.2	0.9
2005 . . . . .	10.3	18.5	2.7	9.0	15.9	2.6	19.4	36.7	3.6	8.3	14.4	2.2	2.9	5.1	0.9
2004 . . . . .	10.0	17.9	2.7	8.9	15.6	2.7	18.3	34.7	3.6	7.9	13.4	2.6	2.7	4.7	0.9
2003 . . . . .	10.3	18.5	2.7	9.1	16.1	2.6	19.1	35.8	3.8	7.9	13.6	2.3	3.1	5.4	1.1

See footnotes at end of table.

**Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999–2013—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate <sup>4</sup>														
2002 . . . . .	10.5	18.7	2.8	9.2	16.3	2.7	19.3	36.1	4.1	8.6	14.4	3.0	3.2	5.4	1.1
2001 . . . . .	10.3	18.5	2.8	9.2	16.3	2.7	18.4	34.5	3.8	7.7	12.9	2.7	3.0	5.1	1.0
2000 . . . . .	10.2	18.1	2.8	9.0	15.9	2.7	18.4	34.2	3.9	7.9	13.1	2.9	3.4	6.0	1.1
1999 . . . . .	10.3	18.4	2.9	9.1	16.2	2.7	18.4	34.1	4.3	9.3	16.1	2.6	3.7	5.9	1.6

<sup>1</sup>Multiple-race data were reported by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>2</sup>Includes Aleut and Eskimo persons.

<sup>3</sup>Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to injury by firearms include ICD-10 codes \*U01.4, W32–W34, X72–X74, X93–X95, Y22–Y24, and Y35.0.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.

**Table I-2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2013**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2013 . . . . .	33,636	28,794	4,842	2,951	2,595	356	30,595	26,117	4,478	22,149	18,558	3,591	7,697	6,934	763
2012 . . . . .	33,563	28,838	4,725	3,061	2,724	337	30,396	26,021	4,375	21,716	18,273	3,443	7,922	7,107	815
2011 . . . . .	32,351	27,738	4,613	2,947	2,608	339	29,300	25,042	4,258	21,174	17,785	3,389	7,436	6,696	740
2010 . . . . .	31,672	27,356	4,316	3,008	2,694	314	28,519	24,532	3,987	20,513	17,350	3,163	7,330	6,607	723
2009 . . . . .	31,347	26,921	4,426	3,202	2,867	335	27,981	23,908	4,073	19,955	16,752	3,203	7,345	6,604	741
2008 . . . . .	31,593	27,336	4,257	3,256	2,912	344	28,252	24,351	3,901	19,873	16,822	3,051	7,741	6,997	744
2007 . . . . .	31,224	27,047	4,177	3,492	3,155	337	27,641	23,809	3,832	18,861	15,925	2,936	8,133	7,326	807
2006 . . . . .	30,896	26,712	4,184	3,464	3,142	322	27,329	23,482	3,847	18,312	15,411	2,901	8,294	7,460	834
2005 . . . . .	30,694	26,657	4,037	3,469	3,144	325	27,103	23,406	3,697	18,521	15,672	2,849	7,865	7,122	743
2004 . . . . .	29,569	25,498	4,071	3,278	2,973	305	26,189	22,436	3,753	18,200	15,283	2,917	7,347	6,620	727
2003 . . . . .	30,136	26,124	4,012	3,319	2,998	321	26,710	23,036	3,674	18,457	15,670	2,787	7,566	6,794	772
2002 . . . . .	30,242	26,098	4,144	3,143	2,834	309	26,944	23,127	3,817	18,762	15,881	2,881	7,494	6,681	813
2001 . . . . .	29,573	25,480	4,093	3,087	2,774	313	26,341	22,573	3,768	18,676	15,760	2,916	7,063	6,323	740
2000 . . . . .	28,663	24,582	4,081	2,891	2,582	309	25,637	21,881	3,756	18,042	15,160	2,882	6,958	6,193	765
1999 . . . . .	28,874	24,700	4,174	2,878	2,549	329	25,877	22,050	3,827	18,260	15,384	2,876	6,933	6,114	819
Rate															
2013 . . . . .	10.6	18.5	3.0	5.5	9.4	1.3	11.7	20.4	3.3	11.0	18.8	3.5	18.9	35.5	3.6
2012 . . . . .	10.7	18.7	3.0	5.8	10.1	1.3	11.7	20.4	3.3	10.8	18.5	3.4	19.6	36.8	3.9
2011 . . . . .	10.4	18.1	2.9	5.7	9.9	1.3	11.3	19.7	3.2	10.6	18.0	3.3	18.6	35.1	3.5
2010 . . . . .	10.3	18.0	2.7	6.0	10.5	1.3	11.0	19.4	3.0	10.2	17.6	3.1	18.6	35.1	3.5
2009 . . . . .	10.2	17.9	2.8	6.5	11.4	1.4	10.9	19.0	3.1	10.0	17.0	3.1	18.8	35.4	3.6
2008 . . . . .	10.4	18.3	2.8	6.8	12.0	1.5	11.0	19.5	3.0	9.9	17.1	3.0	20.0	38.0	3.7
2007 . . . . .	10.4	18.3	2.7	7.6	13.4	1.5	10.8	19.1	2.9	9.5	16.3	2.9	21.3	40.3	4.0
2006 . . . . .	10.4	18.2	2.8	7.8	13.8	1.5	10.8	19.0	3.0	9.2	15.8	2.9	22.0	41.5	4.2
2005 . . . . .	10.4	18.4	2.7	8.1	14.3	1.5	10.7	19.0	2.9	9.3	16.1	2.8	21.1	40.1	3.8
2004 . . . . .	10.1	17.7	2.7	7.9	14.0	1.5	10.4	18.3	2.9	9.2	15.7	2.9	19.9	37.7	3.8
2003 . . . . .	10.4	18.3	2.7	8.3	14.6	1.6	10.7	18.9	2.9	9.3	16.1	2.8	20.8	39.2	4.0
2002 . . . . .	10.5	18.5	2.8	8.1	14.3	1.6	10.8	19.0	3.0	9.5	16.4	2.9	20.8	39.0	4.3
2001 . . . . .	10.4	18.2	2.8	8.3	14.5	1.7	10.6	18.7	3.0	9.4	16.3	2.9	19.8	37.3	4.0
2000 . . . . .	10.2	17.8	2.8	8.2	14.2	1.8	10.4	18.3	3.0	9.1	15.7	2.9	19.8	37.1	4.2
1999 . . . . .	10.3	18.1	2.9	8.5	14.6	2.0	10.6	18.5	3.0	9.3	15.9	2.9	20.0	37.1	4.5
Age-adjusted rate <sup>4</sup>															
2013 . . . . .	10.4	18.3	3.0	5.4	9.4	1.3	11.3	19.9	3.2	10.2	17.5	3.3	18.2	34.0	3.6
2012 . . . . .	10.5	18.5	3.0	5.7	10.1	1.3	11.3	19.9	3.2	10.0	17.2	3.3	19.0	35.3	3.8
2011 . . . . .	10.2	18.0	2.9	5.6	9.8	1.3	11.0	19.3	3.1	9.8	16.9	3.2	17.9	33.5	3.5
2010 . . . . .	10.1	17.9	2.7	5.9	10.5	1.3	10.7	19.1	2.9	9.5	16.6	3.0	17.8	33.4	3.4
2009 . . . . .	10.1	17.8	2.8	6.4	11.4	1.4	10.6	18.7	3.0	9.3	16.1	3.0	18.1	34.0	3.5
2008 . . . . .	10.3	18.3	2.7	6.6	11.7	1.5	10.8	19.2	2.9	9.3	16.2	2.9	19.1	36.2	3.6
2007 . . . . .	10.3	18.3	2.7	7.2	12.9	1.5	10.6	19.0	2.9	8.9	15.5	2.8	20.3	38.0	4.0
2006 . . . . .	10.3	18.2	2.7	7.3	12.8	1.4	10.6	18.8	2.9	8.7	15.1	2.7	20.9	39.4	4.1
2005 . . . . .	10.3	18.5	2.7	7.6	13.4	1.5	10.6	18.9	2.8	8.8	15.5	2.7	20.1	38.2	3.7
2004 . . . . .	10.0	17.9	2.7	7.5	13.2	1.5	10.3	18.3	2.9	8.7	15.2	2.8	19.1	36.2	3.7
2003 . . . . .	10.3	18.5	2.7	7.8	13.7	1.6	10.5	18.9	2.8	8.8	15.7	2.7	19.8	37.3	4.0

See footnotes at end of table.

**Table 1-2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2013—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Age-adjusted rate <sup>4</sup>															
2002 . . . . .	10.5	18.7	2.8	7.7	13.6	1.6	10.7	19.1	3.0	9.0	16.0	2.8	19.9	37.2	4.2
2001 . . . . .	10.3	18.5	2.8	7.8	13.7	1.7	10.5	18.8	2.9	9.1	16.0	2.8	18.9	35.4	3.9
2000 . . . . .	10.2	18.1	2.8	7.8	13.6	1.8	10.3	18.4	3.0	8.8	15.5	2.8	18.9	35.2	4.1
1999 . . . . .	10.3	18.4	2.9	8.2	14.2	2.0	10.5	18.7	3.0	8.9	15.8	2.8	19.0	35.2	4.4

<sup>1</sup>Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

<sup>2</sup>Includes races other than white and black.

<sup>3</sup>Multiple-race data were reported by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to injury by firearms include ICD-10 codes \*U01.4, W32–W34, X72–X74, X93–X95, Y22–Y24, and Y35.0.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.

**Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999–2013**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2013 . . . . .	46,471	28,381	18,090	41,053	24,934	16,119	4,376	2,828	1,548	559	301	258	483	318	165
2012 . . . . .	43,819	26,594	17,225	38,890	23,540	15,350	3,940	2,473	1,467	562	294	268	427	287	140
2011 . . . . .	43,544	26,444	17,100	38,719	23,443	15,276	3,852	2,418	1,434	519	289	230	454	294	160
2010 . . . . .	40,393	24,376	16,017	36,020	21,697	14,323	3,561	2,210	1,351	458	250	208	354	219	135
2009 . . . . .	39,147	24,015	15,132	34,633	21,162	13,471	3,660	2,322	1,338	495	292	203	359	239	120
2008 . . . . .	38,649	23,928	14,721	34,237	21,093	13,144	3,662	2,381	1,281	451	273	178	299	181	118
2007 . . . . .	38,371	23,883	14,488	33,480	20,795	12,685	4,194	2,708	1,486	388	205	183	309	175	134
2006 . . . . .	38,396	24,507	13,889	32,866	20,786	12,080	4,790	3,261	1,529	407	253	154	333	207	126
2005 . . . . .	33,541	21,208	12,333	28,804	18,152	10,652	4,098	2,677	1,421	362	205	157	277	174	103
2004 . . . . .	30,711	19,362	11,349	26,474	16,634	9,840	3,633	2,352	1,281	354	212	142	250	164	86
2003 . . . . .	28,723	18,426	10,297	24,683	15,824	8,859	3,527	2,303	1,224	295	168	127	218	131	87
2002 . . . . .	26,040	16,734	9,306	22,146	14,170	7,976	3,463	2,307	1,156	230	136	94	201	121	80
2001 . . . . .	21,705	14,253	7,452	18,195	11,882	6,313	3,165	2,163	1,002	184	100	84	161	108	53
2000 . . . . .	19,720	13,137	6,583	16,388	10,857	5,531	3,034	2,094	940	160	99	61	138	87	51
1999 . . . . .	19,128	12,885	6,243	15,714	10,506	5,208	3,100	2,191	909	164	96	68	150	92	58
Rate															
2013 . . . . .	14.7	18.2	11.3	16.5	20.2	12.8	10.0	13.5	6.8	12.5	13.4	11.6	2.6	3.6	1.7
2012 . . . . .	14.0	17.2	10.8	15.7	19.1	12.3	9.1	12.0	6.5	12.8	13.3	12.2	2.4	3.3	1.5
2011 . . . . .	14.0	17.3	10.8	15.7	19.2	12.2	9.0	11.8	6.4	11.9	13.2	10.6	2.6	3.5	1.8
2010 . . . . .	13.1	16.1	10.2	14.7	17.9	11.5	8.5	11.0	6.2	10.7	11.7	9.8	2.1	2.7	1.5
2009 . . . . .	12.8	15.9	9.7	14.2	17.5	10.9	8.8	11.7	6.2	12.0	14.0	9.8	2.2	3.0	1.4
2008 . . . . .	12.7	16.0	9.5	14.1	17.6	10.7	8.9	12.1	6.0	11.3	13.7	9.0	1.9	2.3	1.4
2007 . . . . .	12.7	16.1	9.5	13.9	17.4	10.4	10.4	14.0	7.0	10.1	10.7	9.6	2.0	2.3	1.7
2006 . . . . .	12.9	16.7	9.2	13.7	17.5	10.0	12.0	17.1	7.3	11.0	13.7	8.4	2.2	2.9	1.6
2005 . . . . .	11.3	14.6	8.2	12.1	15.4	8.8	10.4	14.3	6.9	10.2	11.5	8.8	1.9	2.5	1.4
2004 . . . . .	10.5	13.5	7.6	11.2	14.2	8.2	9.4	12.7	6.3	10.3	12.4	8.3	1.8	2.4	1.2
2003 . . . . .	9.9	12.9	7.0	10.5	13.6	7.4	9.2	12.7	6.1	8.9	10.2	7.7	1.6	2.0	1.3
2002 . . . . .	9.1	11.8	6.4	9.5	12.3	6.7	9.2	12.8	5.8	7.2	8.5	5.9	1.6	1.9	1.2
2001 . . . . .	7.6	10.2	5.1	7.8	10.4	5.4	8.5	12.2	5.1	5.9	6.5	5.4	1.3	1.8	0.8
2000 . . . . .	7.0	9.5	4.6	7.1	9.6	4.7	8.3	12.0	4.9	5.4	6.7	4.1	1.2	1.5	0.8
1999 . . . . .	6.9	9.4	4.4	6.9	9.3	4.5	8.6	12.7	4.8	5.8	6.8	4.8	1.3	1.7	1.0
Age-adjusted rate <sup>4</sup>															
2013 . . . . .	14.6	18.0	11.1	16.4	20.0	12.7	10.2	14.0	6.8	13.2	13.8	12.5	2.5	3.5	1.6
2012 . . . . .	13.8	17.0	10.7	15.6	19.0	12.1	9.3	12.5	6.6	13.4	13.8	13.0	2.3	3.2	1.4
2011 . . . . .	13.9	17.0	10.7	15.6	19.0	12.1	9.2	12.4	6.5	12.6	13.9	11.3	2.5	3.3	1.7
2010 . . . . .	12.9	15.9	10.0	14.6	17.7	11.4	8.7	11.6	6.2	11.4	12.3	10.4	2.0	2.7	1.5
2009 . . . . .	12.6	15.7	9.5	14.0	17.3	10.7	9.1	12.4	6.3	12.6	14.7	10.4	2.1	3.0	1.4
2008 . . . . .	12.6	15.8	9.4	14.0	17.4	10.5	9.3	13.0	6.1	11.7	14.2	9.3	1.8	2.3	1.3
2007 . . . . .	12.6	16.0	9.3	13.8	17.3	10.2	10.9	15.0	7.2	10.8	11.1	10.3	1.9	2.3	1.6
2006 . . . . .	12.8	16.6	9.1	13.6	17.4	9.8	12.7	18.6	7.6	12.3	14.9	9.6	2.3	3.0	1.6
2005 . . . . .	11.3	14.5	8.1	12.0	15.3	8.7	11.1	15.6	7.2	11.0	12.4	9.6	1.9	2.6	1.4
2004 . . . . .	10.5	13.4	7.6	11.2	14.1	8.2	10.0	14.1	6.6	10.9	13.0	8.8	1.8	2.5	1.2
2003 . . . . .	9.9	12.9	7.0	10.5	13.5	7.4	9.9	14.0	6.4	9.4	10.7	8.2	1.6	2.0	1.2

See footnotes at end of table.

**Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999–2013—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate <sup>4</sup>														
2002 . . . . .	9.1	11.8	6.3	9.5	12.2	6.7	9.9	14.2	6.1	7.6	8.8	6.2	1.6	2.1	1.2
2001 . . . . .	7.6	10.1	5.1	7.8	10.2	5.3	9.2	13.6	5.4	6.5	7.3	5.7	1.3	1.8	0.8
2000 . . . . .	7.0	9.5	4.6	7.1	9.4	4.7	9.0	13.5	5.2	5.6	6.9	4.3	1.1	1.5	0.8
1999 . . . . .	6.8	9.4	4.4	6.8	9.2	4.4	9.3	14.3	5.1	6.1	7.2	5.0	1.4	1.7	1.0

<sup>1</sup>Multiple-race data were reported by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>2</sup>Includes Aleut and Eskimo persons.

<sup>3</sup>Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to drug-induced mortality include ICD-10 codes D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1–F11.5, F11.7–F11.9, F12.1–F12.5, F12.7–F12.9, F13.1–F13.5, F13.7–F13.9, F14.1–F14.5, F14.7–F14.9, F15.1–F15.5, F15.7–F15.9, F16.1–F16.5, F16.7–F16.9, F17.3–F17.5, F17.7–F17.9, F18.1–F18.5, F18.7–F18.9, F19.1–F19.5, F19.7–F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2–J70.4, K85.3, L10.5, L27.0–L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1–R78.5, X40–X44, X60–X64, X85, and Y10–Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes: Drug-induced acute pancreatitis (K85.3) and Drug-induced fever (R50.2).

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.

**Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2013**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2013 . . . . .	46,471	28,381	18,090	3,616	2,546	1,070	42,606	25,665	16,941	37,359	22,332	15,027	4,282	2,766	1,516
2012 . . . . .	43,819	26,594	17,225	3,272	2,283	989	40,271	24,130	16,141	35,497	21,175	14,322	3,842	2,402	1,440
2011 . . . . .	43,544	26,444	17,100	3,152	2,175	977	40,178	24,121	16,057	35,510	21,233	14,277	3,766	2,355	1,411
2010 . . . . .	40,393	24,376	16,017	2,788	1,944	844	37,420	22,303	15,117	33,145	19,689	13,456	3,502	2,170	1,332
2009 . . . . .	39,147	24,015	15,132	2,811	2,013	798	36,124	21,864	14,260	31,749	19,107	12,642	3,588	2,274	1,314
2008 . . . . .	38,649	23,928	14,721	2,761	2,033	728	35,735	21,791	13,944	31,448	19,044	12,404	3,589	2,326	1,263
2007 . . . . .	38,371	23,883	14,488	2,723	2,045	678	35,532	21,771	13,761	30,755	18,760	11,995	4,126	2,662	1,464
2006 . . . . .	38,396	24,507	13,889	2,871	2,135	736	35,379	22,262	13,117	29,970	18,634	11,336	4,722	3,212	1,510
2005 . . . . .	33,541	21,208	12,333	2,596	1,969	627	30,809	19,140	11,669	26,186	16,170	10,016	4,019	2,612	1,407
2004 . . . . .	30,711	19,362	11,349	2,257	1,671	586	28,339	17,605	10,734	24,201	14,952	9,249	3,577	2,309	1,268
2003 . . . . .	28,723	18,426	10,297	2,358	1,800	558	26,199	16,497	9,702	22,245	13,959	8,286	3,466	2,256	1,210
2002 . . . . .	26,040	16,734	9,306	2,137	1,647	490	23,756	14,978	8,778	19,949	12,478	7,471	3,404	2,264	1,140
2001 . . . . .	21,705	14,253	7,452	1,731	1,335	396	19,799	12,778	7,021	16,367	10,465	5,902	3,099	2,113	986
2000 . . . . .	19,720	13,137	6,583	1,700	1,348	352	17,835	11,656	6,179	14,585	9,439	5,146	2,977	2,050	927
1999 . . . . .	19,128	12,885	6,243	1,965	1,605	360	16,966	11,136	5,830	13,644	8,831	4,813	3,030	2,134	896
Rate															
2013 . . . . .	14.7	18.2	11.3	6.7	9.3	4.0	16.3	20.0	12.7	18.6	22.6	14.7	10.5	14.2	7.1
2012 . . . . .	14.0	17.2	10.8	6.2	8.5	3.8	15.4	18.9	12.1	17.7	21.4	14.1	9.5	12.4	6.8
2011 . . . . .	14.0	17.3	10.8	6.1	8.2	3.8	15.5	19.0	12.1	17.7	21.5	14.0	9.4	12.3	6.8
2010 . . . . .	13.1	16.1	10.2	5.5	7.6	3.4	14.5	17.7	11.4	16.6	20.0	13.2	8.9	11.5	6.5
2009 . . . . .	12.8	15.9	9.7	5.7	8.0	3.3	14.0	17.4	10.8	15.9	19.4	12.4	9.2	12.2	6.4
2008 . . . . .	12.7	16.0	9.5	5.8	8.4	3.1	13.9	17.4	10.6	15.7	19.4	12.2	9.3	12.6	6.2
2007 . . . . .	12.7	16.1	9.5	5.9	8.7	3.0	13.9	17.5	10.5	15.4	19.1	11.8	10.8	14.6	7.3
2006 . . . . .	12.9	16.7	9.2	6.4	9.4	3.4	13.9	18.0	10.1	15.0	19.1	11.2	12.5	17.9	7.6
2005 . . . . .	11.3	14.6	8.2	6.0	9.0	3.0	12.2	15.5	9.0	13.2	16.6	9.9	10.8	14.7	7.2
2004 . . . . .	10.5	13.5	7.6	5.4	7.9	2.9	11.3	14.4	8.3	12.2	15.4	9.1	9.7	13.2	6.6
2003 . . . . .	9.9	12.9	7.0	5.9	8.8	2.9	10.5	13.5	7.6	11.2	14.4	8.2	9.5	13.0	6.3
2002 . . . . .	9.1	11.8	6.4	5.5	8.3	2.6	9.5	12.3	6.9	10.1	12.9	7.4	9.4	13.2	6.0
2001 . . . . .	7.6	10.2	5.1	4.7	7.0	2.2	8.0	10.6	5.5	8.3	10.8	5.8	8.7	12.5	5.3
2000 . . . . .	7.0	9.5	4.6	4.8	7.4	2.1	7.2	9.7	4.9	7.4	9.8	5.1	8.5	12.3	5.0
1999 . . . . .	6.9	9.4	4.4	5.8	9.2	2.2	6.9	9.3	4.6	6.9	9.2	4.8	8.7	12.9	4.9
Age-adjusted rate <sup>4</sup>															
2013 . . . . .	14.6	18.0	11.1	7.3	10.0	4.4	16.0	19.7	12.3	18.5	22.5	14.5	10.5	14.5	7.1
2012 . . . . .	13.8	17.0	10.7	6.8	9.3	4.2	15.2	18.7	11.8	17.6	21.4	13.8	9.6	12.8	6.8
2011 . . . . .	13.9	17.0	10.7	6.6	8.9	4.3	15.2	18.7	11.8	17.6	21.4	13.8	9.5	12.7	6.8
2010 . . . . .	12.9	15.9	10.0	6.1	8.4	3.8	14.2	17.3	11.1	16.4	19.8	12.9	9.0	11.9	6.5
2009 . . . . .	12.6	15.7	9.5	6.4	8.9	3.7	13.7	17.1	10.5	15.7	19.2	12.1	9.4	12.8	6.5
2008 . . . . .	12.6	15.8	9.4	6.4	9.3	3.5	13.7	17.1	10.3	15.6	19.2	11.9	9.6	13.3	6.3
2007 . . . . .	12.6	16.0	9.3	6.6	9.7	3.4	13.7	17.2	10.2	15.2	19.0	11.5	11.2	15.5	7.5
2006 . . . . .	12.8	16.6	9.1	7.3	10.6	3.9	13.7	17.7	9.8	14.9	18.9	10.9	13.1	19.2	7.9
2005 . . . . .	11.3	14.5	8.1	6.9	10.2	3.5	12.0	15.3	8.8	13.0	16.3	9.6	11.3	15.9	7.4
2004 . . . . .	10.5	13.4	7.6	6.3	9.1	3.4	11.1	14.2	8.2	12.1	15.2	8.9	10.3	14.5	6.8
2003 . . . . .	9.9	12.9	7.0	6.7	10.1	3.3	10.4	13.4	7.4	11.1	14.2	8.0	10.1	14.3	6.6

See footnotes at end of table.



**Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2013—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Age-adjusted rate <sup>4</sup>															
2002 . . . . .	9.1	11.8	6.3	6.3	9.5	3.0	9.4	12.1	6.8	9.9	12.6	7.2	10.1	14.5	6.3
2001 . . . . .	7.6	10.1	5.1	5.3	8.0	2.5	7.9	10.4	5.4	8.1	10.5	5.7	9.3	13.8	5.5
2000 . . . . .	7.0	9.5	4.6	5.4	8.3	2.4	7.1	9.5	4.8	7.2	9.6	4.9	9.1	13.6	5.3
1999 . . . . .	6.8	9.4	4.4	6.4	10.3	2.5	6.8	9.2	4.6	6.8	8.9	4.6	9.4	14.4	5.2

<sup>1</sup>Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

<sup>2</sup>Includes races other than white and black.

<sup>3</sup>Multiple-race data were reported by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to drug-induced mortality include ICD-10 codes D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1–F11.5, F11.7–F11.9, F12.1–F12.5, F12.7–F12.9, F13.1–F13.5, F13.7–F13.9, F14.1–F14.5, F14.7–F14.9, F15.1–F15.5, F15.7–F15.9, F16.1–F16.5, F16.7–F16.9, F17.3–F17.5, F17.7–F17.9, F18.1–F18.5, F18.7–F18.9, F19.1–F19.5, F19.7–F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2–J70.4, K85.3, L10.5, L27.0–L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1–R78.5, X40–X44, X60–X64, X85, and Y10–Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes: Drug-induced acute pancreatitis (K85.3) and Drug-induced fever (R50.2).

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.

**Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2013**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2013 . . . . .	29,001	21,361	7,640	25,036	18,509	6,527	2,570	1,897	673	1,063	694	369	332	261	71
2012 . . . . .	27,762	20,418	7,344	23,961	17,713	6,248	2,434	1,762	672	1,045	672	373	322	271	51
2011 . . . . .	26,654	19,492	7,162	22,940	16,894	6,046	2,430	1,736	694	946	585	361	338	277	61
2010 . . . . .	25,692	19,038	6,654	22,167	16,527	5,640	2,330	1,686	644	931	611	320	264	214	50
2009 . . . . .	24,518	18,088	6,430	21,066	15,629	5,437	2,340	1,721	619	830	511	319	282	227	55
2008 . . . . .	24,189	18,152	6,037	20,783	15,689	5,094	2,279	1,692	587	853	542	311	274	229	45
2007 . . . . .	23,199	17,428	5,771	19,921	15,027	4,894	2,248	1,703	545	774	495	279	256	203	53
2006 . . . . .	22,073	16,472	5,601	18,917	14,186	4,731	2,172	1,599	573	717	458	259	267	229	38
2005 . . . . .	21,634	16,238	5,396	18,432	13,917	4,515	2,316	1,698	618	655	432	223	231	191	40
2004 . . . . .	21,081	15,906	5,175	17,875	13,525	4,350	2,351	1,784	567	645	417	228	210	180	30
2003 . . . . .	20,687	15,630	5,057	17,437	13,218	4,219	2,406	1,824	582	664	431	233	180	157	23
2002 . . . . .	20,218	15,272	4,946	16,988	12,926	4,062	2,434	1,798	636	597	387	210	199	161	38
2001 . . . . .	20,114	15,149	4,965	16,640	12,588	4,052	2,723	2,048	675	591	387	204	160	126	34
2000 . . . . .	19,643	14,993	4,650	16,223	12,509	3,714	2,712	1,993	719	537	353	184	171	138	33
1999 . . . . .	19,469	14,894	4,575	15,903	12,277	3,626	2,832	2,100	732	589	397	192	145	120	25
Rate															
2013 . . . . .	9.2	13.7	4.8	10.0	15.0	5.2	5.9	9.1	3.0	23.8	31.0	16.6	1.8	2.9	0.7
2012 . . . . .	8.8	13.2	4.6	9.7	14.4	5.0	5.6	8.5	3.0	23.8	30.4	17.0	1.8	3.1	0.5
2011 . . . . .	8.6	12.7	4.5	9.3	13.8	4.8	5.7	8.5	3.1	21.8	26.8	16.7	1.9	3.3	0.7
2010 . . . . .	8.3	12.5	4.2	9.0	13.6	4.5	5.5	8.4	2.9	21.8	28.5	15.1	1.6	2.6	0.6
2009 . . . . .	8.0	12.0	4.1	8.6	12.9	4.4	5.6	8.7	2.8	20.0	24.6	15.5	1.7	2.9	0.6
2008 . . . . .	8.0	12.1	3.9	8.6	13.1	4.1	5.6	8.6	2.7	21.4	27.1	15.7	1.7	3.0	0.5
2007 . . . . .	7.7	11.8	3.8	8.3	12.6	4.0	5.6	8.8	2.6	20.2	25.8	14.6	1.6	2.7	0.7
2006 . . . . .	7.4	11.2	3.7	7.9	12.0	3.9	5.4	8.4	2.7	19.4	24.8	14.1	1.8	3.2	0.5
2005 . . . . .	7.3	11.2	3.6	7.7	11.8	3.7	5.9	9.1	3.0	18.4	24.3	12.5	1.6	2.7	0.5
2004 . . . . .	7.2	11.1	3.5	7.6	11.6	3.6	6.1	9.7	2.8	18.8	24.3	13.3	1.5	2.7	0.4
2003 . . . . .	7.1	11.0	3.4	7.4	11.4	3.5	6.3	10.0	2.9	20.0	26.1	14.0	1.3	2.4	0.3
2002 . . . . .	7.0	10.8	3.4	7.3	11.2	3.4	6.4	10.0	3.2	18.6	24.2	13.1	1.5	2.6	0.6
2001 . . . . .	7.1	10.8	3.4	7.2	11.0	3.4	7.3	11.5	3.5	19.1	25.0	13.1	1.3	2.1	0.5
2000 . . . . .	7.0	10.9	3.2	7.1	11.0	3.2	7.4	11.4	3.7	18.0	23.7	12.3	1.5	2.4	0.5
1999 . . . . .	7.0	10.9	3.2	7.0	10.9	3.1	7.8	12.2	3.9	20.8	28.1	13.5	1.3	2.2	0.4
Age-adjusted rate <sup>4</sup>															
2013 . . . . .	8.2	12.5	4.3	8.7	13.1	4.5	6.0	9.9	2.9	26.8	35.6	18.3	1.8	3.0	0.7
2012 . . . . .	8.0	12.1	4.2	8.4	12.7	4.4	5.9	9.5	3.0	27.4	36.1	19.2	1.8	3.3	0.5
2011 . . . . .	7.7	11.7	4.1	8.2	12.3	4.3	5.9	9.4	3.1	24.9	32.2	18.3	1.9	3.5	0.7
2010 . . . . .	7.6	11.7	3.9	8.0	12.2	4.0	5.9	9.6	3.0	25.4	34.9	16.7	1.6	2.8	0.5
2009 . . . . .	7.4	11.3	3.8	7.7	11.7	3.9	6.1	10.0	2.9	23.4	29.1	17.8	1.8	3.1	0.6
2008 . . . . .	7.4	11.5	3.6	7.7	11.9	3.7	6.1	10.2	2.8	25.5	33.7	18.1	1.8	3.2	0.6
2007 . . . . .	7.2	11.3	3.5	7.5	11.6	3.6	6.2	10.6	2.7	23.9	32.1	16.4	1.7	3.0	0.7
2006 . . . . .	7.0	10.9	3.4	7.2	11.2	3.5	6.1	10.1	2.9	23.4	31.0	16.4	1.9	3.5	0.5
2005 . . . . .	7.0	11.0	3.4	7.2	11.1	3.4	6.7	11.1	3.3	22.3	30.8	14.6	1.7	3.1	0.6
2004 . . . . .	7.0	11.0	3.3	7.1	11.1	3.3	7.0	12.0	3.1	23.0	31.6	15.3	1.7	3.2	0.5
2003 . . . . .	7.0	11.0	3.3	7.0	11.0	3.3	7.4	12.6	3.2	24.4	33.3	16.4	1.5	2.8	0.4

See footnotes at end of table.

**Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2013—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All races			White <sup>1</sup>			Black <sup>1</sup>			American Indian or Alaska Native <sup>1,2</sup>			Asian or Pacific Islander <sup>1,3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate <sup>4</sup>														
2002 . . . . .	6.9	11.0	3.3	7.0	11.0	3.2	7.7	13.0	3.6	23.0	31.4	15.3	1.8	3.2	0.6
2001 . . . . .	7.0	11.2	3.3	6.9	10.9	3.3	8.8	15.0	3.9	23.7	33.3	15.3	1.5	2.6	0.6
2000 . . . . .	7.0	11.4	3.2	6.9	11.1	3.0	9.1	15.3	4.3	22.7	31.4	14.9	1.7	2.9	0.7
1999 . . . . .	7.1	11.5	3.2	6.8	11.0	3.0	9.8	16.7	4.5	26.7	38.8	16.2	1.6	2.8	0.5

<sup>1</sup>Multiple-race data were reported by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>2</sup>Includes Aleut and Eskimo persons.

<sup>3</sup>Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code: Alcohol-induced acute pancreatitis (K85.2).

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.

**Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2013**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number															
2013 . . . . .	29,001	21,361	7,640	3,698	3,034	664	25,113	18,173	6,940	21,260	15,401	5,859	2,519	1,862	657
2012 . . . . .	27,762	20,418	7,344	3,513	2,903	610	24,080	17,381	6,699	20,384	14,754	5,630	2,385	1,726	659
2011 . . . . .	26,654	19,492	7,162	3,445	2,842	603	23,084	16,546	6,538	19,471	14,026	5,445	2,392	1,706	686
2010 . . . . .	25,692	19,038	6,654	3,326	2,759	567	22,242	16,178	6,064	18,806	13,735	5,071	2,296	1,661	635
2009 . . . . .	24,518	18,088	6,430	3,139	2,618	521	21,265	15,375	5,890	17,902	12,986	4,916	2,299	1,688	611
2008 . . . . .	24,189	18,152	6,037	3,021	2,522	499	21,085	15,561	5,524	17,759	13,160	4,599	2,240	1,660	580
2007 . . . . .	23,199	17,428	5,771	2,977	2,539	438	20,130	14,811	5,319	16,935	12,474	4,461	2,210	1,674	536
2006 . . . . .	22,073	16,472	5,601	2,804	2,341	463	19,187	14,055	5,132	16,114	11,837	4,277	2,128	1,561	567
2005 . . . . .	21,634	16,238	5,396	2,658	2,265	393	18,877	13,890	4,987	15,729	11,610	4,119	2,282	1,670	612
2004 . . . . .	21,081	15,906	5,175	2,406	2,056	350	18,567	13,761	4,806	15,418	11,428	3,990	2,318	1,754	564
2003 . . . . .	20,687	15,630	5,057	2,422	2,048	374	18,160	13,490	4,670	14,977	11,133	3,844	2,367	1,787	580
2002 . . . . .	20,218	15,272	4,946	2,408	2,065	343	17,661	13,078	4,583	14,494	10,783	3,711	2,396	1,768	628
2001 . . . . .	20,114	15,149	4,965	2,381	2,026	355	17,593	13,009	4,584	14,186	10,497	3,689	2,677	2,016	661
2000 . . . . .	19,643	14,993	4,650	2,323	2,024	299	17,177	12,843	4,334	13,815	10,408	3,407	2,672	1,959	713
1999 . . . . .	19,469	14,894	4,575	2,184	1,864	320	17,143	12,905	4,238	13,633	10,337	3,296	2,794	2,066	728
Rate															
2013 . . . . .	9.2	13.7	4.8	6.8	11.0	2.5	9.6	14.2	5.2	10.6	15.6	5.7	6.2	9.5	3.1
2012 . . . . .	8.8	13.2	4.6	6.6	10.8	2.3	9.2	13.6	5.0	10.2	14.9	5.5	5.9	8.9	3.1
2011 . . . . .	8.6	12.7	4.5	6.6	10.7	2.4	8.9	13.0	4.9	9.7	14.2	5.3	6.0	8.9	3.3
2010 . . . . .	8.3	12.5	4.2	6.6	10.8	2.3	8.6	12.8	4.6	9.4	14.0	5.0	5.8	8.8	3.1
2009 . . . . .	8.0	12.0	4.1	6.4	10.4	2.1	8.3	12.2	4.5	9.0	13.2	4.8	5.9	9.1	3.0
2008 . . . . .	8.0	12.1	3.9	6.3	10.4	2.1	8.2	12.4	4.2	8.9	13.4	4.5	5.8	9.0	2.9
2007 . . . . .	7.7	11.8	3.8	6.4	10.8	1.9	7.9	11.9	4.1	8.5	12.7	4.4	5.8	9.2	2.7
2006 . . . . .	7.4	11.2	3.7	6.3	10.3	2.1	7.6	11.3	4.0	8.1	12.1	4.2	5.6	8.7	2.9
2005 . . . . .	7.3	11.2	3.6	6.2	10.3	1.9	7.5	11.3	3.9	7.9	11.9	4.1	6.1	9.4	3.1
2004 . . . . .	7.2	11.1	3.5	5.8	9.7	1.7	7.4	11.2	3.7	7.8	11.7	3.9	6.3	10.0	2.9
2003 . . . . .	7.1	11.0	3.4	6.0	10.0	1.9	7.3	11.1	3.6	7.6	11.5	3.8	6.5	10.3	3.0
2002 . . . . .	7.0	10.8	3.4	6.2	10.4	1.8	7.1	10.8	3.6	7.3	11.1	3.7	6.6	10.3	3.3
2001 . . . . .	7.1	10.8	3.4	6.4	10.6	2.0	7.1	10.8	3.6	7.2	10.8	3.7	7.5	11.9	3.5
2000 . . . . .	7.0	10.9	3.2	6.6	11.1	1.7	7.0	10.7	3.4	7.0	10.8	3.4	7.6	11.7	3.9
1999 . . . . .	7.0	10.9	3.2	6.4	10.7	1.9	7.0	10.8	3.4	6.9	10.7	3.3	8.0	12.5	4.0
Age-adjusted rate <sup>4</sup>															
2013 . . . . .	8.2	12.5	4.3	9.0	15.3	3.1	8.1	12.1	4.5	8.6	12.6	4.8	6.2	10.2	3.0
2012 . . . . .	8.0	12.1	4.2	8.8	15.2	3.0	7.8	11.7	4.3	8.3	12.2	4.6	6.0	9.7	3.1
2011 . . . . .	7.7	11.7	4.1	9.0	15.6	3.0	7.6	11.3	4.3	8.0	11.7	4.5	6.1	9.7	3.2
2010 . . . . .	7.6	11.7	3.9	9.1	16.0	3.0	7.4	11.2	4.0	7.8	11.6	4.2	6.1	9.8	3.1
2009 . . . . .	7.4	11.3	3.8	8.9	15.6	2.9	7.2	10.8	3.9	7.5	11.1	4.1	6.2	10.2	3.0
2008 . . . . .	7.4	11.5	3.6	8.9	15.5	2.8	7.2	11.1	3.7	7.5	11.4	3.9	6.2	10.4	2.9
2007 . . . . .	7.2	11.3	3.5	9.4	16.8	2.7	7.0	10.7	3.6	7.2	10.9	3.8	6.3	10.9	2.8
2006 . . . . .	7.0	10.9	3.4	9.2	16.2	3.0	6.8	10.3	3.5	6.9	10.5	3.6	6.2	10.2	3.0
2005 . . . . .	7.0	11.0	3.4	9.1	16.5	2.6	6.7	10.4	3.5	6.8	10.4	3.5	6.9	11.3	3.3
2004 . . . . .	7.0	11.0	3.3	8.6	15.4	2.5	6.8	10.5	3.4	6.8	10.5	3.5	7.2	12.2	3.2
2003 . . . . .	7.0	11.0	3.3	9.2	16.4	2.8	6.7	10.5	3.3	6.7	10.4	3.4	7.5	12.8	3.3

See footnotes at end of table.

**Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2013—Con.**

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

Year	All origins <sup>1</sup>			Hispanic			Non-Hispanic <sup>2</sup>			Non-Hispanic white <sup>3</sup>			Non-Hispanic black <sup>3</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Age-adjusted rate <sup>4</sup>															
2002 . . . . .	6.9	11.0	3.3	9.7	17.4	2.7	6.7	10.4	3.3	6.6	10.2	3.3	7.9	13.2	3.7
2001 . . . . .	7.0	11.2	3.3	10.1	18.2	2.9	6.7	10.5	3.4	6.5	10.0	3.3	9.0	15.3	4.0
2000 . . . . .	7.0	11.4	3.2	10.5	19.4	2.6	6.7	10.6	3.2	6.4	10.1	3.1	9.3	15.5	4.4
1999 . . . . .	7.1	11.5	3.2	10.3	18.6	3.0	6.8	10.8	3.2	6.4	10.2	3.0	10.0	16.9	4.6

<sup>1</sup>Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

<sup>2</sup>Includes races other than white and black.

<sup>3</sup>Multiple-race data were reported by 42 states and the District of Columbia in 2012 and 2013, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>4</sup>For method of computation, see Technical Notes.

NOTE: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code: Alcohol-induced acute pancreatitis (K85.2).

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.

**Table I-7. Number of deaths, death rates, and age-adjusted death rates for ages 15 and over, by marital status and sex: United States, 2013**

[Rates are per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Population estimates used for computing death rates are based on the American Community Survey adjusted to postcensal July 1, 2013, resident population control totals for the United States; see Technical Notes]

Marital status and sex	Age group (years)								Age-adjusted rate <sup>2</sup>
	15 and over <sup>1</sup>	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	
	Number								
Both sexes . . . . .	2,564,013	28,486	45,463	69,573	177,724	338,127	454,429	1,450,211	...
Never married . . . . .	290,546	26,919	30,407	26,807	47,894	56,540	37,825	64,154	...
Ever married . . . . .	2,257,077	1,509	14,775	42,078	127,462	276,834	412,638	1,381,781	...
Married . . . . .	967,405	1,263	10,687	26,623	72,949	156,062	232,582	467,239	...
Widowed . . . . .	903,164	35	219	1,007	6,387	26,008	80,506	789,002	...
Divorced . . . . .	386,508	211	3,869	14,448	48,126	94,764	99,550	125,540	...
Not stated . . . . .	16,390	58	281	688	2,368	4,753	3,966	4,276	...
Male . . . . .	1,287,420	20,864	31,462	43,072	107,997	206,325	257,898	619,802	...
Never married . . . . .	181,114	19,928	22,205	18,333	32,522	37,579	22,965	27,582	...
Ever married . . . . .	1,094,669	894	9,076	24,255	73,741	165,042	231,970	589,691	...
Married . . . . .	648,083	750	6,617	15,368	42,175	96,835	152,269	334,069	...
Widowed . . . . .	240,986	17	105	376	2,322	9,175	24,710	204,281	...
Divorced . . . . .	205,600	127	2,354	8,511	29,244	59,032	54,991	51,341	...
Not stated . . . . .	11,637	42	181	484	1,734	3,704	2,963	2,529	...
Female . . . . .	1,276,593	7,622	14,001	26,501	69,727	131,802	196,531	830,409	...
Never married . . . . .	109,432	6,991	8,202	8,474	15,372	18,961	14,860	36,572	...
Ever married . . . . .	1,162,408	615	5,699	17,823	53,721	111,792	180,668	792,090	...
Married . . . . .	319,322	513	4,070	11,255	30,774	59,227	80,313	133,170	...
Widowed . . . . .	662,178	18	114	631	4,065	16,833	55,796	584,721	...
Divorced . . . . .	180,908	84	1,515	5,937	18,882	35,732	44,559	74,199	...
Not stated . . . . .	4,753	16	100	204	634	1,049	1,003	1,747	...
	Rate <sup>3</sup>								
Both sexes . . . . .	1,005.4	64.6	106.7	171.3	406.9	859.6	1,802.3	7,456.0	1,146.1
Never married . . . . .	344.6	65.4	140.8	298.4	743.0	1,459.9	2,654.0	7,656.2	1,442.0
Ever married . . . . .	1,322.3	51.2	70.3	133.1	342.4	780.6	1,734.6	7,424.0	1,094.9
Married . . . . .	758.3	46.2	57.5	101.7	253.8	595.9	1,419.9	5,337.1	814.0
Widowed . . . . .	6,001.9	186.9	230.8	355.4	737.6	1,241.2	2,238.4	9,749.3	1,597.5
Divorced . . . . .	1,376.6	108.8	165.2	279.9	631.3	1,319.9	2,611.9	7,113.6	1,345.3
Male . . . . .	1,035.1	92.2	146.3	213.1	501.8	1,088.8	2,186.4	7,968.0	1,302.7
Never married . . . . .	400.9	92.7	184.4	364.1	909.3	1,841.9	3,391.7	8,582.1	1,715.6
Ever married . . . . .	1,382.1	79.1	95.9	159.8	411.0	976.0	2,086.3	7,907.6	1,228.7
Married . . . . .	1,013.4	71.1	78.2	119.9	295.8	728.2	1,722.7	6,389.6	978.7
Widowed . . . . .	7,488.2	*	363.4	446.7	1,014.0	1,918.5	3,223.4	12,579.4	2,161.9
Divorced . . . . .	1,708.4	183.8	241.2	373.1	846.3	1,883.0	3,634.8	8,486.3	1,738.1
Female . . . . .	977.2	35.5	66.3	129.9	314.7	646.5	1,464.7	7,114.8	1,013.0
Never married . . . . .	279.6	35.5	85.8	214.6	535.7	1,034.7	1,986.3	7,080.1	1,186.8
Ever married . . . . .	1,270.5	33.8	49.3	108.4	278.6	602.5	1,425.9	7,100.7	985.3
Married . . . . .	501.9	30.5	40.2	84.2	212.5	459.4	1,064.9	3,776.5	597.1
Widowed . . . . .	5,597.6	*	172.7	316.8	638.2	1,040.9	1,971.6	9,038.8	1,434.3
Divorced . . . . .	1,127.6	67.2	110.9	206.0	453.1	883.5	1,938.6	6,397.5	1,083.7

... Category not applicable.

\* Figure does not meet standards of reliability or precision; see Technical Notes.

<sup>1</sup>Excludes figures for age not stated.

<sup>2</sup>Calculated based on ages 25 and over. For method of computation, see Technical Notes.

<sup>3</sup>Figures for marital status not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified marital status groups.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.

**Table I-8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64, by educational attainment and sex: Total of 39 reporting states and District of Columbia using 2003 version of U.S. Standard Certificate of Death and total of 9 reporting states using 1989 version of U.S. Standard Certificate of Death, 2013**

[Rates are per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Population estimates used for computing death rates are based on the American Community Survey adjusted to postcensal July 1, 2013, resident population control totals for reporting areas; see Technical Notes]

39 reporting states and District of Columbia <sup>1</sup> using the 2003 version of the U.S. Standard Certificate of Death							9 reporting states <sup>2</sup> using the 1989 version of the U.S. Standard Certificate of Death						
Education level and sex	Age group (years)					Age-adjusted rate <sup>4</sup>	Years of school completed <sup>5</sup> and sex	Age group (years)					Age-adjusted rate <sup>4</sup>
	25–64 <sup>3</sup>	25–34	35–44	45–54	55–64			25–64 <sup>3</sup>	25–34	35–44	45–54	55–64	
Number							Number						
Both sexes . . . . .	526,523	37,846	58,108	148,104	282,465	...	Both sexes . . . . .	91,862	6,746	10,189	26,055	48,872	...
Less than high school diploma or GED . . . . .	95,917	7,364	11,041	29,048	48,464	...	Under 12 years . . . . .	16,700	1,222	1,780	4,965	8,733	...
High school diploma or GED . . . . .	225,587	16,375	24,550	65,605	119,057	...	12 years . . . . .	39,144	2,959	4,289	11,652	20,244	...
Some college or collegiate degree . . . . .	190,670	13,320	21,206	49,421	106,723	...	13 years or more . . . . .	31,239	2,143	3,565	8,126	17,405	...
Not stated <sup>6</sup> . . . . .	14,349	787	1,311	4,030	8,221	...	Not stated <sup>7</sup> . . . . .	4,779	422	555	1,312	2,490	...
Male . . . . .	324,745	26,198	36,087	90,029	172,431	...	Male . . . . .	56,316	4,645	6,160	15,786	29,725	...
Less than high school diploma or GED . . . . .	61,820	5,275	7,215	18,720	30,610	...	Under 12 years . . . . .	10,886	860	1,147	3,281	5,598	...
High school diploma or GED . . . . .	142,841	11,826	16,153	41,448	73,414	...	12 years . . . . .	24,713	2,160	2,728	7,331	12,494	...
Some college or collegiate degree . . . . .	109,847	8,531	11,794	27,031	62,491	...	13 years or more . . . . .	17,478	1,323	1,919	4,291	9,945	...
Not stated <sup>6</sup> . . . . .	10,237	566	925	2,830	5,916	...	Not stated <sup>7</sup> . . . . .	3,239	302	366	883	1,688	...
Female . . . . .	201,778	11,648	22,021	58,075	110,034	...	Female . . . . .	35,546	2,101	4,029	10,269	19,147	...
Less than high school diploma or GED . . . . .	34,097	2,089	3,826	10,328	17,854	...	Under 12 years . . . . .	5,814	362	633	1,684	3,135	...
High school diploma or GED . . . . .	82,746	4,549	8,397	24,157	45,643	...	12 years . . . . .	14,431	799	1,561	4,321	7,750	...
Some college or collegiate degree . . . . .	80,823	4,789	9,412	22,390	44,232	...	13 years or more . . . . .	13,761	820	1,646	3,835	7,460	...
Not stated <sup>6</sup> . . . . .	4,112	221	386	1,200	2,305	...	Not stated <sup>7</sup> . . . . .	1,540	120	189	429	802	...
Rate <sup>8</sup>							Rate <sup>8</sup>						
Both sexes . . . . .	379.6	106.0	171.3	407.4	862.6	331.4	Both sexes . . . . .	383.7	111.2	173.9	411.4	860.2	334.2
Less than high school diploma or GED . . . . .	562.1	175.8	253.1	631.4	1,238.7	496.3	Under 12 years . . . . .	680.4	204.6	296.9	766.1	1,432.8	584.9
High school diploma or GED . . . . .	613.1	190.7	294.9	625.4	1,268.1	516.6	12 years . . . . .	649.8	214.2	314.6	674.4	1,304.9	547.8
Some college or collegiate degree . . . . .	224.7	58.1	99.9	232.4	548.8	198.6	13 years or more . . . . .	202.0	52.4	91.5	205.3	494.4	178.4
Male . . . . .	473.2	145.4	213.6	502.0	1,093.1	418.1	Male . . . . .	478.8	152.8	212.2	510.1	1,091.3	421.3
Less than high school diploma or GED . . . . .	666.7	218.5	301.5	748.7	1,558.0	606.5	Under 12 years . . . . .	795.9	252.3	335.5	903.1	1,739.9	696.4
High school diploma or GED . . . . .	731.5	239.5	348.8	753.1	1,648.1	643.0	12 years . . . . .	761.4	263.4	355.8	798.1	1,687.1	669.6
Some college or collegiate degree . . . . .	275.8	80.0	119.4	272.2	667.9	240.7	13 years or more . . . . .	244.5	70.4	107.0	236.7	598.6	213.5
Female . . . . .	287.9	65.9	129.3	315.3	648.4	248.0	Female . . . . .	291.8	69.4	136.2	317.1	647.3	251.4
Less than high school diploma or GED . . . . .	437.6	117.7	194.3	491.8	916.7	372.6	Under 12 years . . . . .	535.1	141.2	245.6	591.3	1,089.4	449.5
High school diploma or GED . . . . .	479.2	124.6	227.2	484.4	925.0	384.1	12 years . . . . .	519.4	142.3	261.6	533.9	955.8	417.5
Some college or collegiate degree . . . . .	179.5	39.1	82.8	197.6	438.4	160.8	13 years or more . . . . .	165.5	37.1	78.2	178.8	401.2	147.7

... Category not applicable.

<sup>1</sup>Includes data for Arizona, Arkansas, California, Connecticut, Delaware, District of Columbia, Florida, Georgia, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Dakota, Ohio, Oklahoma, Oregon, Pennsylvania, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Washington, and Wyoming; see Technical Notes.

<sup>2</sup>Includes data for Alabama, Alaska, Colorado, Hawaii, Maryland, Massachusetts, North Carolina, Virginia, and West Virginia; see Technical Notes.

<sup>3</sup>Excludes figures for age not stated.

<sup>4</sup>Calculated based on ages 25–64. For method of computation, see Technical Notes.

<sup>5</sup>For rates, the definition of educational attainment differs for the numerator and denominator; see Technical Notes.

<sup>6</sup>Includes deaths that occurred in states that reported the unrevised education attainment item on the death certificate and in states that did not have an education item on the death certificate.

<sup>7</sup>Includes deaths that occurred in states that reported the revised education attainment item on the death certificate and in states that did not have an education item on the death certificate.

<sup>8</sup>Figures for education not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified years of education.

NOTE: GED is General Educational Development high school equivalency diploma.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.

**Table I-9. Number of deaths, death rates, and age-adjusted death rates for injury at work for ages 15 and over, by race and sex: United States, 2013**

[Rates are per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical Notes. Populations used for computing death rates are postcensal estimates based on the 2010 census estimated as of July 1, 2013; see Technical Notes. For a discussion of injury at work, see Technical Notes]

Race and sex	Age group (years)							Age-adjusted rate <sup>2</sup>
	15 and over <sup>1</sup>	15-24	25-34	35-44	45-54	55-64	65 and over	
	Number							
All races <sup>3</sup> , both sexes. . . . .	4,268	299	717	762	1,000	854	636	...
Male . . . . .	3,882	270	672	703	917	788	532	...
Female . . . . .	386	29	45	59	83	66	104	...
White <sup>4</sup> , both sexes . . . . .	3,683	270	611	633	843	732	594	...
Male . . . . .	3,351	244	575	590	773	671	498	...
Female . . . . .	332	26	36	43	70	61	96	...
Black <sup>4</sup> , both sexes. . . . .	438	23	74	101	122	82	36	...
Male . . . . .	399	20	68	90	113	79	29	...
Female . . . . .	39	3	6	11	9	3	7	...
	Rate							
All races <sup>3</sup> , both sexes. . . . .	1.7	0.7	1.7	1.9	2.3	2.2	1.4	1.7
Male . . . . .	3.1	1.2	3.1	3.5	4.3	4.2	2.7	3.1
Female . . . . .	0.3	0.1	0.2	0.3	0.4	0.3	0.4	0.3
White <sup>4</sup> , both sexes . . . . .	1.8	0.8	1.9	2.0	2.4	2.3	1.5	1.8
Male . . . . .	3.4	1.4	3.4	3.7	4.4	4.3	2.9	3.3
Female . . . . .	0.3	0.2	0.2	0.3	0.4	0.4	0.4	0.3
Black <sup>4</sup> , both sexes. . . . .	1.3	0.3	1.2	1.8	2.1	1.8	0.9	1.3
Male . . . . .	2.5	0.5	2.3	3.4	4.2	3.8	1.8	2.6
Female . . . . .	0.2	*	*	*	*	*	*	0.2

... Category not applicable.

\* Figure does not meet standards of reliability or precision; see Technical Notes.

<sup>1</sup>Excludes figures for age not stated.

<sup>2</sup>Calculated based on ages 15 and over. For method of computation, see Technical Notes.

<sup>3</sup>Includes races other than white and black.

<sup>4</sup>Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. This table includes multiple-race data for 42 states and the District of Columbia; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.



**Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993–2013**

[Includes ages 15 and over; excludes figures for age not stated. Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. For a discussion of injury at work, see Technical Notes]

Year	All other <sup>1</sup>											
	All races			White <sup>1</sup>			Total <sup>1</sup>			Black <sup>1</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Number												
2013 . . . . .	4,268	3,882	386	3,683	3,351	332	585	531	54	438	399	39
2012 . . . . .	4,106	3,743	363	3,479	3,190	289	627	553	74	453	403	50
2011 . . . . .	4,097	3,736	361	3,535	3,227	308	562	509	53	403	367	36
2010 . . . . .	4,157	3,829	328	3,589	3,324	265	568	505	63	405	359	46
2009 . . . . .	3,919	3,601	318	3,341	3,087	254	578	514	64	427	375	52
2008 . . . . .	4,690	4,317	373	4,018	3,709	309	672	608	64	505	458	47
2007 . . . . .	5,025	4,606	419	4,257	3,914	343	768	692	76	579	521	58
2006 . . . . .	5,298	4,869	429	4,562	4,200	362	736	669	67	565	513	52
2005 . . . . .	5,113	4,670	443	4,351	3,991	360	762	679	83	573	512	61
2004 . . . . .	5,157	4,729	428	4,458	4,111	347	699	618	81	545	482	63
2003 . . . . .	5,025	4,609	416	4,272	3,929	343	753	680	73	577	530	47
2002 . . . . .	5,305	4,859	446	4,568	4,199	369	737	660	77	559	500	59
2001 <sup>2</sup> . . . . .	8,303	7,181	1,122	7,093	6,211	882	1,210	970	240	849	680	169
2000 . . . . .	5,430	4,969	461	4,657	4,270	387	773	699	74	591	536	55
1999 . . . . .	5,651	5,152	499	4,805	4,385	420	846	767	79	659	598	61
1998 . . . . .	5,543	5,036	507	4,804	4,366	438	739	670	69	587	535	52
1997 . . . . .	5,666	5,144	522	4,785	4,352	433	881	792	89	684	626	58
1996 . . . . .	5,778	5,280	498	4,940	4,535	405	838	745	93	649	582	67
1995 . . . . .	5,872	5,334	538	5,007	4,550	457	865	784	81	692	627	65
1994 . . . . .	5,987	5,425	562	5,103	4,642	461	884	783	101	710	632	78
1993 . . . . .	5,847	5,352	495	4,979	4,581	398	868	771	97	677	608	69
Rate												
2013 . . . . .	1.7	3.1	0.3	1.8	3.4	0.3	1.1	2.2	0.2	1.3	2.5	0.2
2012 . . . . .	1.6	3.0	0.3	1.7	3.2	0.3	1.2	2.3	0.3	1.4	2.6	0.3
2011 . . . . .	1.6	3.1	0.3	1.8	3.3	0.3	1.1	2.2	0.2	1.2	2.4	0.2
2010 . . . . .	1.7	3.2	0.3	1.8	3.4	0.3	1.2	2.2	0.2	1.3	2.4	0.3
2009 . . . . .	1.6	3.0	0.3	1.7	3.2	0.3	1.2	2.3	0.3	1.4	2.5	0.3
2008 . . . . .	1.9	3.6	0.3	2.0	3.9	0.3	1.4	2.8	0.3	1.6	3.2	0.3
2007 . . . . .	2.1	3.9	0.3	2.2	4.1	0.3	1.7	3.2	0.3	1.9	3.7	0.4
2006 . . . . .	2.2	4.2	0.4	2.4	4.4	0.4	1.7	3.2	0.3	1.9	3.7	0.3
2005 . . . . .	2.2	4.1	0.4	2.3	4.3	0.4	1.8	3.3	0.4	2.0	3.7	0.4
2004 . . . . .	2.2	4.2	0.4	2.3	4.4	0.4	1.7	3.1	0.4	1.9	3.6	0.4
2003 . . . . .	2.2	4.1	0.4	2.3	4.3	0.4	1.8	3.5	0.3	2.0	4.0	0.3
2002 . . . . .	2.3	4.4	0.4	2.4	4.6	0.4	1.8	3.5	0.4	2.0	3.9	0.4
2001 <sup>2</sup> . . . . .	3.7	6.6	1.0	3.8	6.9	0.9	3.1	5.3	1.2	3.1	5.4	1.2
2000 . . . . .	2.5	4.6	0.4	2.5	4.8	0.4	2.0	3.7	0.4	2.2	4.3	0.4
1999 . . . . .	2.6	4.9	0.4	2.6	4.9	0.5	2.3	4.4	0.4	2.5	4.9	0.4
1998 . . . . .	2.6	4.8	0.5	2.7	5.0	0.5	2.0	3.9	0.4	2.3	4.5	0.4
1997 . . . . .	2.7	5.0	0.5	2.7	5.0	0.5	2.5	4.8	0.5	2.7	5.3	0.4
1996 . . . . .	2.7	5.2	0.5	2.8	5.3	0.4	2.4	4.6	0.5	2.6	5.1	0.5
1995 . . . . .	2.8	5.3	0.5	2.9	5.4	0.5	2.6	5.0	0.5	2.8	5.5	0.5
1994 . . . . .	2.9	5.5	0.5	3.0	5.5	0.5	2.7	5.1	0.6	3.0	5.7	0.6
1993 . . . . .	2.9	5.5	0.5	2.9	5.5	0.5	2.7	5.2	0.6	2.9	5.6	0.5
Age-adjusted rate <sup>3</sup>												
2013 . . . . .	1.7	3.1	0.3	1.8	3.3	0.3	1.2	2.2	0.2	1.3	2.6	0.2
2012 . . . . .	1.6	3.0	0.3	1.7	3.2	0.3	1.3	2.4	0.3	1.4	2.7	0.3
2011 . . . . .	1.6	3.0	0.3	1.7	3.2	0.3	1.1	2.3	0.2	1.3	2.5	0.2
2010 . . . . .	1.7	3.1	0.3	1.8	3.3	0.3	1.2	2.3	0.2	1.3	2.5	0.3
2009 . . . . .	1.6	3.0	0.3	1.7	3.1	0.3	1.2	2.3	0.3	1.4	2.6	0.3
2008 . . . . .	1.9	3.6	0.3	2.0	3.8	0.3	1.5	2.8	0.2	1.6	3.3	0.3
2007 . . . . .	2.1	3.9	0.3	2.2	4.0	0.3	1.7	3.3	0.3	1.9	3.8	0.4
2006 . . . . .	2.2	4.2	0.3	2.3	4.4	0.3	1.7	3.3	0.3	1.9	3.8	0.3
2005 . . . . .	2.2	4.1	0.4	2.3	4.2	0.4	1.8	3.4	0.4	2.0	3.9	0.4
2004 . . . . .	2.2	4.2	0.4	2.3	4.4	0.3	1.7	3.2	0.4	2.0	3.8	0.4
2003 . . . . .	2.2	4.1	0.3	2.3	4.2	0.3	1.9	3.6	0.3	2.1	4.2	0.3
2002 . . . . .	2.4	4.4	0.4	2.4	4.6	0.4	1.9	3.7	0.4	2.1	4.1	0.4
2001 <sup>2</sup> . . . . .	3.7	6.6	1.0	3.8	6.8	0.9	3.1	5.3	1.1	3.1	5.5	1.1
2000 . . . . .	2.5	4.6	0.4	2.5	4.8	0.4	2.1	3.9	0.4	2.3	4.6	0.4

See footnotes at end of table.

**Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993-2013—Con.**

[Includes ages 15 and over; excludes figures for age not stated. Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. For a discussion of injury at work, see Technical Notes]

Year	All races			White <sup>1</sup>			All other <sup>1</sup>					
							Total <sup>1</sup>			Black <sup>1</sup>		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
	Age-adjusted rate <sup>3</sup>											
1999 . . . . .	2.6	4.9	0.4	2.6	4.9	0.4	2.3	4.5	0.4	2.6	5.1	0.4
1998 . . . . .	2.6	4.8	0.5	2.7	5.0	0.5	2.1	4.1	0.4	2.3	4.7	0.4
1997 . . . . .	2.7	5.0	0.5	2.7	5.0	0.5	2.6	5.0	0.5	2.8	5.5	0.4
1996 . . . . .	2.8	5.2	0.5	2.8	5.3	0.4	2.5	4.8	0.5	2.6	5.3	0.5
1995 . . . . .	2.8	5.3	0.5	2.9	5.4	0.5	2.7	5.3	0.5	3.0	6.0	0.5
1994 . . . . .	2.9	5.5	0.5	3.0	5.6	0.5	2.8	5.4	0.6	3.1	6.0	0.6
1993 . . . . .	2.9	5.5	0.5	2.9	5.5	0.5	2.8	5.4	0.6	3.0	6.0	0.5

<sup>1</sup>Includes multiple-race data for 42 states and the District of Columbia in 2012 and 2013, 38 states and the District of Columbia in 2011, 37 states and the District of Columbia in 2010, 34 states and the District of Columbia in 2008 and 2009, 27 states and the District of Columbia in 2007, 25 states and the District of Columbia in 2006, 21 states and the District of Columbia in 2005, 15 states in 2004, and 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

<sup>2</sup>Figures include September 11, 2001, terrorism-related deaths for which death certificates were filed as of October 24, 2002; see Technical Notes from National Vital Statistics Report, "Deaths: Final data for 2001," Vol 52, No 3.

<sup>3</sup>For method of computation, see Technical Notes.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.